



Att'y Dkt. No. 0902-004
U.S. App. No. 10/619,447

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Roland MULLER et al.

Art Unit: Unknown

Appl. No.: 10/619,447

Examiner: Unknown

Filing Date: July 16, 2003

Atty. Docket: 0902-004

Title: MOUTH SWITCH ARRANGEMENT AND
MICROSCOPE WITH MOUTH SWITCH
ARRANGEMENT

INFORMATION DISCLOSURE STATEMENT

U.S. Patent and Trademark Office
2011 South Clark Place
Customer Window,
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Sir:

Listed on the accompanying Form PTO-1449 is a document that may be considered material to the examination of this application, in compliance with the duty of disclosure requirements of 37 C.F.R. §§ 1.56, 1.97 and 1.98.

Applicants reserve the right to establish the patentability of the claimed invention over any of the information provided herewith, and/or to prove that this information may not be prior art, and/or to prove that this information may not be enabling for the teachings purportedly offered.

This statement should not be construed as a representation that an exhaustive search has been made, or that there does not exist information more material to the examination of the present patent application. The Examiner is specifically requested not to rely solely on the material submitted herewith. It is further understood that the Examiner will review art of record in all 35 U.S.C. § 120 priority documents.

1. This Information Disclosure Statement is being filed within three months of the U.S. filing date OR before the mailing date of a first Office Action on the merits. No certification or fee is required.

Att'y Dkt. No. 0902-004
U.S. App. No. 10/619,447

It is respectfully requested that the Examiner initial and return a copy of the enclosed PTO-1449, and to indicate in the official file wrapper of this patent application that the documents have been considered.

Respectfully submitted,

By: 
Kris Kalidindi
Reg. No. 41,461

Date: 9 February, 2004

Potomac Patent Group, PLLC
P.O. Box 855
McLean, VA 22101-0855
703-749-7730



PTO/SB/08B (08-03)

Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
A collection of information unless it contains a valid OMB control number.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO				Complete if Known	
				Application Number	10/619,447
				Filing Date	July 16, 2003
				First Named Inventor	Roland Muller
				Art Unit	Unknown
				Examiner Name	Unknown
Sheet	1	of	1	Attorney Docket Number	0902-004

NON-PATENT LITERATURE DOCUMENTS

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.